

112學年 第一學期用電量額度超出度數表

寢室別	期初度數	9月27日	10月30日	__月__日	期末度數	可吹度數	超出度數	應繳金額	備註
	9月10日				__月__日			1度/3.5元	
AT0101A	19087.6	19228.1	19337.1			19537.6	0	—	
AT0101B	20814.1	20997.4	21160.6			21264.1	0	—	
AT0101C	5082.3	5082.3	5082.3			5532.3	0	—	
AT0102A	8260.3	8261.3	8263.4			8710.3	0	—	
AT0102B	5563.4	5564.4	5566.5			6013.4	0	—	
AT0102C	5566.2	5566.2	5566.2			6016.2	0	—	
AT0103A	6785.9	6785.9	6831.5			7235.9	0	—	
AT0103B	7767.9	7827.7	7884.6			8217.9	0	—	
AT0103C	4878.7	4890.9	4901.6			5328.7	0	—	
AT0104A	11593.7	11593.7	11718.5			12043.7	0	—	
AT0104B	8826.5	8981.4	9192.4			9276.5	0	—	
AT0104C	8517.6	8517.6	8517.6			8967.6	0	—	
AT0105A	9828.2	9828.2	9828.2			10278.2	0	—	
AT0105B	10145.5	10145.5	10145.5			10595.5	0	—	
AT0105C	10758.4	10758.4	10758.4			11208.4	0	—	
AT0201A	12403.4	12544.3	12716.8			12853.4	0	—	
AT0201B	13399.4	13495.1	13627.2			13849.4	0	—	
AT0201C	10899.5	11070.8	11298.7			11349.5	0	—	
AT0202A	10880.2	10984.7	11099			11330.2	0	—	
AT0202B	12405.4	12502.1	12627			12855.4	0	—	
AT0202C	10553.1	10660.6	10760.7			11003.1	0	—	
AT0203A	10972.3	11090.7	11400.6			11422.3	0	—	
AT0203B	13485.3	13637.9	13810.2			13935.3	0	—	
AT0203C	12054.7	12212.5	12365.9			12504.7	0	—	
AT0204A	9519.3	9578.6	9679.6			9969.3	0	—	
AT0204B	9482	9699.8	9979.4			9932	0	—	
AT0204C	10651.8	10757.2	10831.6			11101.8	0	—	
AT0205A	14444.1	14658.2	15097.7			14894.1	0	—	
AT0205B	13162.3	13342.6	13549.1			13612.3	0	—	
AT0205C	13345.9	13466.1	13589.9			13795.9	0	—	
AT0206A	11619	11637.2	11638			12069	0	—	

寢室別	期初度數	9月27日	10月30日	__月__日	期末度數	可吹度數	超出度數	應繳金額	備註
	9月10日				__月__日			1度/3.5元	
AT0206B	13488.1	13635.7	13834.1			13938.1	0	—	
AT0206C	15138.1	15307.5	15546.4			15588.1	0	—	
AT0207A	13772.9	14005	14300.9			14222.9	0	—	
AT0207B	11344.5	11428.8	11565.1			11794.5	0	—	
AT0207C	11973.5	12173.6	12423.6			12423.5	0	—	
AT0208A	12671.9	12900.2	13162.3			13121.9	0	—	
AT0208B	12807.3	12965.3	13119.2			13257.3	0	—	
AT0208C	18206.6	18523	19002.5			18656.6	0	—	
AT0301A	12825.7	12969.2	13165.3			13275.7	0	—	
AT0301B	11745.9	11854.4	11944.8			12195.9	0	—	
AT0301C	13074.5	13146.7	13286.4			13524.5	0	—	
AT0302A	10742.7	10948.3	11215.9			11192.7	0	—	
AT0302B	10866.9	10924.1	11043.1			11316.9	0	—	
AT0302C	11402.5	11458.6	11519.7			11852.5	0	—	
AT0303A	10075.7	10195.5	10353.2			10525.7	0	—	
AT0303B	29.9	105	198.1			479.9	0	—	
AT0303C	0.5	149.9	412.9			450.5	0	—	
AT0304A	7436.6	7525.8	7701.3			7886.6	0	—	
AT0304B	11262.8	11366.1	11511.4			11712.8	0	—	
AT0304C	9472.6	9472.6	9472.6			9922.6	0	—	
AT0305A	19379.6	19554.6	19843.7			19829.6	0	—	
AT0305B	11415.6	11451	11603.7			11865.6	0	—	
AT0305C	14144.7	14393.2	14770.8			14594.7	0	—	
AT0306A	9510.2	9586.2	9659.5			9960.2	0	—	
AT0306B	10922.2	11032.5	11214.2			11372.2	0	—	
AT0306C	13417.9	13666.8	14060.9			13867.9	0	—	
AT0307A	9932.2	10034.8	10198.4			10382.2	0	—	
AT0307B	9232.2	9385.5	9565.5			9682.2	0	—	
AT0307C	11619.5	11851.9	12287.7			12069.5	0	—	
AT0308A	10471	10635.7	10944.6			10921	0	—	
AT0308B	9915.1	10146.3	10450.4			10365.1	0	—	
AT0308C	10401.5	10580.3	10786.1			10851.5	0	—	

寢室別	期初度數	9月27日	10月30日	__月__日	期末度數	可吹度數	超出度數	應繳金額	備註
	9月10日				__月__日			1度/3.5元	
AT0401A	8881.1	8989.9	9081.3			9331.1	0	—	
AT0401B	7401.3	7538.5	7806.4			7851.3	0	—	
AT0401C	7902.1	8071.1	8320			8352.1	0	—	
AT0402A	10990.1	11111.2	11291.6			11440.1	0	—	
AT0402B	8495.6	8744.6	9054.9			8945.6	0	—	
AT0402C	10448.2	10603.5	10848.4			10898.2	0	—	
AT0403A	10759.4	10940.5	11152.1			11209.4	0	—	
AT0403B	12616	12826.2	13198			13066	0	—	
AT0403C	9901.8	10062.9	10194.9			10351.8	0	—	
AT0404A	13952.7	14072.8	14204.5			14402.7	0	—	
AT0404B	10853.5	10982.4	10994.2			11303.5	0	—	
AT0404C	9800.2	9892.9	10030.9			10250.2	0	—	
AT0405A	9061.8	9218.1	9447.3			9511.8	0	—	
AT0405B	12352.3	12552.1	12861.6			12802.3	0	—	
AT0405C	9316.2	9447	9617.8			9766.2	0	—	
AT0406A	9629.5	9844.9	10186.6			10079.5	0	—	
AT0406B	10053.6	10190.2	10363.2			10503.6	0	—	
AT0406C	12425.2	12533.1	12772.8			12875.2	0	—	
AT0407A	12596.7	12851.4	13275.8			13046.7	0	—	
AT0407B	22482.3	22953.1	檢修			22932.3	0	—	
AT0407C	9591.5	9695.5	9827.4			10041.5	0	—	
AT0408A	10692.8	10854.6	11034.9			11142.8	0	—	
AT0408B	13636.7	13726.7	13944.9			14086.7	0	—	
AT0408C	10344.3	10488.8	10745.9			10794.3	0	—	
AT0501A	9145.1	9374.2	9700.3			9595.1	0	—	
AT0501B	11905.7	12092	12399.7			12355.7	0	—	
AT0501C	10554	10649.6	10757.8			11004	0	—	
AT0502A	8066.7	8156.5	8311.2			8516.7	0	—	
AT0502B	10157.8	10366.7	10664.1			10607.8	0	—	
AT0502C	9189	9304.4	9414.8			9639	0	—	
AT0503A	6744	6890	7188.9			7194	0	—	
AT0503B	10528.4	10752.9	11054.9			10978.4	0	—	

寢室別	期初度數	9月27日	10月30日	__月__日	期末度數	可吹度數	超出度數	應繳金額	備註
	9月10日				__月__日			1度/3.5元	
AT0503C	8962.5	9169.3	9378.9			9412.5	0	—	
AT0504A	9779.3	9953.3	10118.4			10229.3	0	—	
AT0504B	6808.9	6935.5	7056.9			7258.9	0	—	
AT0504C	9951.5	10141.5	10291			10401.5	0	—	
AT0505A	16159.9	16435	16901.8			16609.9	0	—	
AT0505B	11309.1	11453.7	11628.9			11759.1	0	—	
AT0505C	11466.9	11634.4	11895.2			11916.9	0	—	
AT0506A	8415.3	8511.9	8636.4			8865.3	0	—	
AT0506B	12556.8	12702.3	13021.7			13006.8	0	—	
AT0506C	10433.8	10627.3	10946.3			10883.8	0	—	
AT0507A	13614.9	13679.1	13774.6			14064.9	0	—	
AT0507B	10915.3	11111.7	11403.5			11365.3	0	—	
AT0507C	12168.4	12394.4	12747.8			12618.4	0	—	
AT0508A	10832	10832	10832			11282	0	—	
AT0508B	11006.2	11098.5	11177.5			11456.2	0	—	
AT0508C	12633.7	12634.7	12636.7			13083.7	0	—	
AT0601A	9271.3	9431.6	9541.2			9721.3	0	—	
AT0601B	10371.4	10462.2	10574.6			10821.4	0	—	
AT0601C	8902.5	9047.6	9246.6			9352.5	0	—	
AT0602A	10782.8	10942.4	11181.4			11232.8	0	—	
AT0602B	10411.1	10546.6	10759.5			10861.1	0	—	
AT0602C	8405.6	8555	8776.3			8855.6	0	—	
AT0603A	8552.7	8696.2	8864.9			9002.7	0	—	
AT0603B	8647	8727.8	8869.1			9097	0	—	
AT0603C	10807.4	11025.3	11284.8			11257.4	0	—	
AT0604A	13924.1	14035	14175			14374.1	0	—	
AT0604B	8573.8	8651.7	8755.5			9023.8	0	—	
AT0604C	10202.8	10401.4	10680.2			10652.8	0	—	
AT0605A	12350.8	12457.5	12625.2			12800.8	0	—	
AT0605B	12372.8	12448	12558			12822.8	0	—	
AT0605C	11827.9	11965.2	12197.1			12277.9	0	—	
AT0606A	10906	11054.4	11357.8			11356	0	—	

寢室別	期初度數	9月27日	10月30日	__月__日	期末度數	可吹度數	超出度數	應繳金額	備註
	9月10日				__月__日			1度/3.5元	
AT0606B	8427.5	8533.9	8652.7			8877.5	0	—	
AT0606C	11487.3	11703.7	12038.6			11937.3	0	—	
AT0607A	8428.8	8436.4	8437.3			8878.8	0	—	
AT0607B	12879.8	13090.1	13406.6			13329.8	0	—	
AT0607C	7778.9	7877.4	7990.6			8228.9	0	—	
AT0608A	13297.2	13536.6	13867.7			13747.2	0	—	
AT0608B	8637	8844.2	9202.5			9087	0	—	
AT0608C	13862.8	14074.7	14320			14312.8	0	—	
AT0701A	13853.9	14032.6	14265			14303.9	0	—	
AT0701B	12214.4	12312.4	12463.6			12664.4	0	—	
AT0701C	10791.2	10953.6	11166.1			11241.2	0	—	
AT0702A	11711.5	11850.3	12153.4			12161.5	0	—	
AT0702B	11171.5	11306.6	11503.6			11621.5	0	—	
AT0702C	10609.1	10816.4	11071.7			11059.1	0	—	
AT0703A	11636.6	11907.3	12250.8			12086.6	0	—	
AT0703B	9219.7	9229.2	9231.3			9669.7	0	—	
AT0703C	9813.5	9920	9922.2			10263.5	0	—	
AT0704A	8325	8410.7	8526.1			8775	0	—	
AT0704B	9992.7	10207.1	10335.5			10442.7	0	—	
AT0704C	12065.7	12216.2	12355.7			12515.7	0	—	
AT0705A	12825.9	13044.3	13414.3			13275.9	0	—	
AT0705B	11923.9	11984.4	12185.6			12373.9	0	—	
AT0705C	14076.8	14331	14808.8			14526.8	0	—	
AT0706A	13316.3	13450	13669.3			13766.3	0	—	
AT0706B	11317.1	11331.9	11372.3			11767.1	0	—	
AT0706C	11320.7	11468.4	11769.3			11770.7	0	—	
AT0707A	14648.3	14763.7	14948			15098.3	0	—	
AT0707B	12458.3	12689.9	13089.5			12908.3	0	—	
AT0707C	9698.7	9873.2	10096.9			10148.7	0	—	
AT0708A	10618	10618	10618			11068	0	—	
AT0708B	9658.4	9714.5	9754.5			10108.4	0	—	
AT0708C	9607.3	9873.9	10314.8			10057.3	0	—	

寢室別	期初度數	9月27日	10月30日	__月__日	期末度數	可吹度數	超出度數	應繳金額	備註
	9月10日				__月__日			1度/3.5元	
AT0801A	12218.4	12422.4	12715.6			12668.4	0	—	
AT0801B	8096.9	8300.6	8532.3			8546.9	0	—	
AT0801C	13347.6	13426.2	13482.6			13797.6	0	—	
AT0802A	13065.7	13180.5	13293.4			13515.7	0	—	
AT0802B	7651	7783.9	7976.6			8101	0	—	
AT0802C	10189.9	10276.8	10373.3			10639.9	0	—	
AT0803A	10218.3	10411.8	10794.3			10668.3	0	—	
AT0803B	9212.5	9289.5	9407.5			9662.5	0	—	
AT0803C	8245.6	8395.9	8598.4			8695.6	0	—	
AT0804A	11889.3	12033	12315.7			12339.3	0	—	
AT0804B	9651.9	9753.5	9800.2			10101.9	0	—	
AT0804C	11751	11921.1	12176.4			12201	0	—	
AT0805A	10014.7	10037.7	10090			10464.7	0	—	
AT0805B	11948.1	12131.8	12420.7			12398.1	0	—	
AT0805C	12614.9	12756.2	12980			13064.9	0	—	
AT0806A	10342.7	10561.4	10886			10792.7	0	—	
AT0806B	9947.2	10093.9	10306.6			10397.2	0	—	
AT0806C	12321.7	12464.8	12669.4			12771.7	0	—	
AT0807A	10473.7	10610.5	10790.3			10923.7	0	—	
AT0807B	12030	12076.4	12161.5			12480	0	—	
AT0807C	12687.2	12750.4	12802.7			13137.2	0	—	
AT0808A	10585.8	10753.1	10964.8			11035.8	0	—	
AT0808B	8750.4	8916.5	9091.1			9200.4	0	—	
AT0808C	9585.1	9585.1	9585.1			10035.1	0	—	
AT0901A	9811.2	9928.2	10084.8			10261.2	0	—	
AT0901B	8923.5	9010.9	9054.7			9373.5	0	—	
AT0901C	10212.7	10370.7	10632.5			10662.7	0	—	
AT0902A	980.6	1130.7	1329.2			1430.6	0	—	
AT0902B	10634.6	10725.3	10807.2			11084.6	0	—	
AT0902C	10154.5	10254.2	10442.9			10604.5	0	—	
AT0903A	9841.2	10049.3	10307.1			10291.2	0	—	
AT0903B	13420.1	13560.6	13719.3			13870.1	0	—	

寢室別	期初度數	9月27日	10月30日	__月__日	期末度數	可吹度數	超出度數	應繳金額	備註
	9月10日				__月__日			1度/3.5元	
AT0903C	9866.2	9960.2	10084.5			10316.2	0	—	
AT0904A	10586.2	10678.9	10812			11036.2	0	—	
AT0904B	11252.9	11361.7	11476.4			11702.9	0	—	
AT0904C	12933.7	13202.4	13563			13383.7	0	—	
AT0905A	15176	15312.4	15519.4			15626	0	—	
AT0905B	10397.6	10576.5	10758.5			10847.6	0	—	
AT0905C	13816.7	13905.7	14022.9			14266.7	0	—	
AT0906A	10294.2	10399	10581.4			10744.2	0	—	
AT0906B	12412.4	12559.7	12758.2			12862.4	0	—	
AT0906C	12164.3	12369.7	12695			12614.3	0	—	
AT0907A	11442.5	11644	11929.7			11892.5	0	—	
AT0907B	15646	15732.5	15921.5			16096	0	—	
AT0907C	11548.2	11720.7	12074			11998.2	0	—	
AT0908A	12155.6	12371	12642			12605.6	0	—	
AT0908B	16357	16533.7	16793.7			16807	0	—	
AT0908C	13443.8	13583.7	13845.1			13893.8	0	—	
AT1001A	10404.3	10551.7	10686.4			10944.3	0	—	
AT1001B	7124.2	7269.7	7465.3			7664.2	0	—	
AT1001C	12103.7	12251.3	12371			12643.7	0	—	
AT1002A	12738	12908.8	12980.9			13278	0	—	
AT1002B	8779.9	8864.4	8946.1			9319.9	0	—	
AT1002C	11255.5	11462.8	11675.2			11795.5	0	—	
AT1003A	11598.8	11704.1	11851.3			12138.8	0	—	
AT1003B	12028.4	12226.4	12525			12568.4	0	—	
AT1003C	9717.6	9812	9998			10257.6	0	—	
AT1004A	10815.6	11069.4	11292			11355.6	0	—	
AT1004B	9925.1	10028.5	10142.8			10465.1	0	—	
AT1004C	8859.4	8924.5	8926.5			9399.4	0	—	
AT1005A	11370	11575.2	11764.8			11910	0	—	
AT1005B	11821.4	12175.9	12674.3			12361.4	0	—	
AT1005C	9591.6	9882.7	10421.7			10131.6	0	—	
AT1006A	11143.7	11401.6	11781.9			11683.7	0	—	

寢室別	期初度數	9月27日	10月30日	__月__日	期末度數	可吹度數	超出度數	應繳金額	備註
	9月10日				__月__日			1度/3.5元	
AT1006B	10593.8	10717.4	10900.4			11133.8	0	—	
AT1006C	9637.9	9903	10212.6			10177.9	0	—	
AT1007A	10172.9	10405.7	10612			10712.9	0	—	
AT1007B	10370.1	10596.1	10865.7			10910.1	0	—	
AT1007C	9639.6	9825.6	10075.8			10179.6	0	—	
AT1008A	11426.2	11621.9	11869.4			11966.2	0	—	
AT1008B	10503.8	10640.1	10792.9			11043.8	0	—	
AT1008C	10935.1	11085.4	11315.1			11475.1	0	—	

